



Advantage

- Die-casting housing (Alumium-ADC12)
- High Efficiency Reflector (alanod, efficiency: 98%±2%)
- High Efficiency driver(Vlinca brand, efficiency: up to 92%)-- Optional Tridonic driver
- Thewholeluminaireefficiency can beup to 159lm
- Compact size of luminaire:Φ85mm
- For luminaires of protection class II
- Nominal Life-time up to 50,000 hours
- Housing colour--typ.White/Black
- Type of protection IP20
- MAX Wattage 23W 600mA


Specific parameters

Model	Voltage input	typ. Wattage	typ. Light colour	typ. Beam angle	typ. luminaire efficiency	typ. Luminous flux	typ. COB brand	Driver brand
Meg85A-930-Ref40D-4VL22 HE+	220-240V	21.8w	3000K	40°	140lm/w	3052lm	HE+ 1208	Vlinca
Meg85A-930-Ref40D-4VL22 FC	220-240V	21.9w	3000K	40°	135lm/w	2956lm	V13C FC	Vlinca
Meg85A-930-Ref40D-4VL23 G8	220-240V	23.7w	3000K	40°	155lm/w	3671lm	G8 1309	Vlinca
Meg85A-930-Ref40D-4VL19 G8	220-240V	19.5w	3000K	40°	159lm/w	3097lm	G8 1309	Vlinca
Meg85A-930-Lens36D-4VL23 G8	220-240V	23.7w	3000K	36°	140lm/w	3321lm	G8 1309	Vlinca
Meg85A-930-Lens36D-4VL19 G8	220-240V	19.5w	3000K	36°	145lm/w	2839lm	G8 1309	Vlinca

Note: REF Angle can be adapted to 18/28/40/55 degrees: color temperature can be 3000K/4000K

LENS Angle can be adapted to 15/24/36 degrees: color temperature can be 3000K/4000K

product feature






Advantage

- Die-casting housing (Alumium-ADC12)
- High Efficiency Reflector (alanod, efficiency: 98%±2%)
- High Efficiency driver(Vlinca brand, efficiency: up to 92%)-- Optional Tridonic driver
- Thewholeluminaireefficiency can beup to 157lm
- Compact size of luminaire: Φ72mm
- For luminaires of protection class II
- Nominal Life-time up to 50,000 hours
- Housing colour--typ.White/Black
- Type of protection IP20
- MAX Wattage 23W 600mA

Specific parameters

Model	Voltage input	typ. Wattage	typ. Light colour	typ. Beam angle	typ. luminaire efficiency	typ. Luminous flux	typ. COB brand	Driver brand
Meg72A-930-Ref38D-4VL23 G8	220-240V	23.7w	3000K	38°	152lm/w	3602m	Philips G8 1309	Vlinca
Meg72A-930-Ref38D-4VL19 G8	220-240V	19.5w	3000K	38°	157lm/w	3082lm	Philips G8 1309	Vlinca

product feature



601000048 外箱
602000016 内盒

545*365*346mm/B坑五层牛卡纸/Galaxy射灯
175*175*165mm/B坑牛卡纸/Galaxy射灯